

**In the Claims:**

**Please cancel claims 1-11 without prejudice or disclaimer of the subject matter contained therein.**

Claims 1-11 (Canceled).

**Please add the following new claims:**

12. (New) A method for providing active members of a Voice Group Call Service (VGCS) with additional information, the method comprising:
- transmitting the additional information in a message on an associated control channel for a traffic channel of the voice group, wherein the message contains a voice group call ID (VGC-ID) or a voice group call Reference (VGC reference);
- triggering, via a mobile switching center (MSC), a message, addition-information-request-message, on an A-interface a base station subsystem (BSS), to send the additional information to the group members; and
- sending, via the BSS the additional information on a slow associated control channel (SACCH) of all traffic channels (TCHs) where the VGC is ongoing.
13. (New) The method according to claim 12, wherein the message is sent on a resource controlling signaling connection control part (SCCP) connection.
14. (New) The method according to claim 12, wherein the message is sent on a controlling signaling connection control part (SCCP) connection of the VGC without addressing a meant VGC.

15. (New) The method according to claim 12, wherein the additional  
2 information is not provided in radio cells which belong to the VGC-area but a VGC-  
channel is not established.

16. (New) The method according to claim 13, wherein the additional  
2 information is not provided in radio cells which belong to the VGC-area but a VGC-  
channel is not established.

17. (New) The method according to claim 14, wherein the additional  
2 information is not provided in radio cells which belong to the VGC-area but a VGC-  
channel is not established.

18. (New) The method according to claim 12, wherein the additional  
2 information is sent on a controlling signaling connection control part (SCCP) connection,  
wherein the BSS is responsible for sending the additional information on all SACCHs for  
4 this VGC.

19. (New) The method according to claim 13, wherein the additional  
2 information is sent on a controlling signaling connection control part (SCCP) connection,  
wherein the BSS is responsible for sending the additional information on all SACCHs for  
4 this VGC.

20. (New) The method according to claim 14, wherein the additional  
2 information is sent on a controlling signaling connection control part (SCCP) connection,  
wherein the BSS is responsible for sending the additional information on all SACCHs for  
4 this VGC.

21. (New) The method according to claim 12, wherein after having sent the  
2 additional information, the BSS provides an acknowledge information to the MSC that  
the additional information was sent to mobile stations (MSs).

22. (New) The method according to claim 13, wherein after having sent the  
2 additional information, the BSS provides an acknowledge information to the MSC that  
the additional information was sent to mobile stations (MSs).

23. (New) The method according to claim 14, wherein after having sent the  
2 additional information, the BSS provides an acknowledge information to the MSC that  
the additional information was sent to mobile stations (MSs).

24. (New) The method according to claim 12, wherein in order to give an  
2 indication that the additional information was at least received by a current talker, said  
talker sends an acknowledgement on an uplink-SACCH for this VGC.

25. (New) The method according to claim 13, wherein in order to give an  
2 indication that the additional information was at least received by a current talker, said  
talker sends an acknowledgement on an uplink-SACCH for this VGC.

26. (New) The method according to claim 14, wherein in order to give an  
2 indication that the additional information was at least received by a current talker, said  
talker sends an acknowledgement on an uplink-SACCH for this VGC.

27. (New) A system for providing members of a Voice Group Call Service  
2 (VGCS) with additional information, the system comprising:  
first signal processing units for dedicated text-and/or binary signal transmission;  
4 second signal processing units for speech transmission purposes in combination  
with said first signal processing units;  
6 the additional information contains a voice group call ID (VGC-ID) or a voice  
group call Reference (VGC Reference);  
8 an A-interface;  
a base station subsystem (BSS); and  
10 a mobile switching center (MSC) connected via said A-interface to said BSS for  
sending the additional information to the group members via a message, additional-  
12 information-request-message; wherein  
the additional information is sent on a slow associated control channel (SACCH)  
14 of all traffic channels (TCHs) where the VGC is ongoing.